



PO Box 37263
Stokes Valley

Telephone: (04) 934 0559
Fax: (04) 934 0557
Mobile: (027) 222 2100
Email: info@kiwiherbs.com
Website: www.kiwiherbs.com

New Zealand Reptiles

Cross reference of species names

Acknowledgements: Tony Jewell 2008 DOC and Herpetofauna Database

Common name	Scientific name	Common name	Scientific name
Harlequin Gecko	<i>Genus A: rakiurae</i>	Harlequin Gecko	<i>Hoplodactylus rakiurae</i>
Harlequin Gecko	<i>Genus A: rakiurae</i>	Harlequin Gecko	<i>Tukutuku rakiurae</i>
Yellow-lipped Gecko	<i>Naultinus sp. 1</i>	North Cape Green Gecko	<i>Naultinus "North Cape Green Gecko"</i>
Gray's Gecko	<i>Naultinus grayii</i>	Northland Green Gecko	<i>Naultinus grayii</i>
Elegant Gecko	<i>Naultinus elegans elegans</i>	Auckland Green Gecko	<i>Naultinus elegans</i>
Barking Gecko	<i>Naultinus elegans punctatus</i>	Wellington Green Gecko	<i>Naultinus punctatus</i>
Manuka Gecko	<i>Naultinus manukanus</i>	Marlborough Green Gecko	<i>Naultinus manukanus</i>
Rough Gecko	<i>Naultinus rudis</i>	Rough Gecko	<i>Naultinus rudis</i>
Starred Gecko	<i>Naultinus stellatus</i>	Nelson Green Gecko	<i>Naultinus stellatus</i>
Mossy Gecko	<i>Naultinus tuberculatus</i>	West Coast Green Gecko	<i>Naultinus tuberculatus</i>
Jewelled Gecko	<i>Naultinus gemmeus</i>	Jewelled Gecko	<i>Naultinus gemmeus</i>
Ngahere Gecko	<i>Genus B: silvestris</i>	Southern North Island Forest Gecko	<i>Mokopirirakau "Southern North Island"</i>
Forest Gecko	<i>Genus B: granulatus</i>	Forest Gecko	<i>Mokopirirakau granulatus</i>
Cupola Gecko	<i>Genus B: sp. 1</i>	Cupola Basin Gecko	<i>Mokopirirakau "Cupola"</i>
Okarito Gecko	<i>Genus B: sp. 2</i>	Okarito Forest Gecko	<i>Mokopirirakau "Okarito"</i>
Open Bay Islands Gecko	<i>Genus B: sp. 3</i>	Open Bay Islands Gecko	<i>Mokopirirakau "Open Bay Islands"</i>
Cascade Gecko	<i>Genus B: sp. 4</i>	Cascades Forest Gecko	<i>Mokopirirakau "Cascades"</i>
Blue-eyed Gecko	<i>Genus B: sp. 5</i>	Southern Forest Gecko	<i>Mokopirirakau "Southern Forest"</i>
Orange-spotted Gecko	<i>Genus B: sp. 6</i>	Roys Peak Gecko	<i>Mokopirirakau "Roys Peak"</i>





PO Box 37263
Stokes Valley

Telephone: (04) 934 0559
Fax: (04) 934 0557
Mobile: (027) 222 2100
Email: info@kiwiherbs.com
Website: www.kiwiherbs.com

Common name	Scientific name	Common name	Scientific name
Takitimu Gecko	<i>Genus B: cryptozoicus</i>	Takitimus Gecko	<i>Mokopirirakau cryptozoicus</i>
Cloudy Gecko	<i>Genus B: nebulosus</i>	Cloudy Gecko	<i>Mokopirirakau nebulosus</i>
Black-eyed Gecko	<i>Genus B: kahutarae</i>	Black-eyed Gecko	<i>Mokopirirakau kahutarae</i>
Striped Gecko	<i>Genus B: stephensi</i>	Coromandel Striped Gecko	<i>Toropuku stephensi</i> Coromandel populations
Striped Gecko	<i>Genus B: stephensi</i>	Cook Strait Striped Gecko	<i>Toropuku stephensi</i> Cook Strait populations
Matapia Gecko	<i>Hoplodactylus sp. 1</i>	Matapia Gecko	<i>Dactylocnemis "Matapia"</i>
Northcape Gecko	<i>Hoplodactylus sp. 2</i>	North Cape Pacific Gecko	<i>Dactylocnemis "North Cape"</i>
Pacific Gecko	<i>Hoplodactylus pacificus</i>	Pacific Gecko	<i>Dactylocnemis pacificus</i>
Mokohinau Gecko	<i>Hoplodactylus sp. 3</i>	Mokohinau Gecko	<i>Dactylocnemis "Mokohinau"</i>
Poor Knights Gecko	<i>Hoplodactylus sp. 4</i>	Poor Knights Gecko	<i>Dactylocnemis "Poor Knights"</i>
Three Kings Gecko	<i>Hoplodactylus sp. 5</i>	Three Kings Gecko	<i>Dactylocnemis "Three Kings"</i>
Duvaucel's Gecko	<i>Woodworthia duvauceli</i>	Duvaucel's Gecko	<i>Hoplodactylus duvaucelii</i>
Matua Gecko	<i>Woodworthia maculatus</i>	Common Gecko	<i>Woodworthia maculatus</i>
Brown Gecko	<i>Woodworthia brunneus</i>	Canterbury Gecko	<i>Woodworthia brunneus</i>
Pygmy Gecko	<i>Woodworthia sp. 1</i>	Pygmy Gecko	<i>Woodworthia "Pygmy"</i>
Minimac Gecko	<i>Woodworthia sp. 2</i>	Marlborough Mini Gecko	<i>Woodworthia "Marlborough Mini"</i>
Kaikoura Gecko	<i>Woodworthia sp. 3</i>	Kaikouras Gecko	<i>Woodworthia "Kaikouras"</i>
Kahurangi Gecko	<i>Woodworthia sp. 4</i>	Mount Arthur Gecko	<i>Woodworthia "Mount Arthur"</i>
Southern Alps Gecko	<i>Woodworthia sp. 5</i>	Southern Alps Gecko	<i>Woodworthia "Southern Alps"</i>
Schist Gecko	<i>Woodworthia sp. 6</i>	Central Otago Gecko	<i>Woodworthia "Central Otago"</i>
Kawarau Gecko	<i>Woodworthia sp. 7</i>	Cromwell Gecko	<i>Woodworthia "Cromwell Gorge"</i>
Danseys Pass Gecko	<i>Woodworthia sp. 8</i>	Large Otago Gecko	<i>Woodworthia "Otago/Southland"</i>
Korero Gecko	<i>Woodworthia sp. 9</i>	Large Otago Gecko	<i>Woodworthia "Otago/Southland"</i>
Goldstripe Gecko	<i>Woodworthia chrysosireticus</i>	Goldstripe Gecko	<i>Woodworthia chrysosireticus</i>





PO Box 37263
Stokes Valley

Telephone: (04) 934 0559
Fax: (04) 934 0557
Mobile: (027) 222 2100
Email: info@kiwiherbs.com
Website: www.kiwiherbs.com

Common name	Scientific name	Common name	Scientific name
Short-toed Gecko	<i>Woodworthia sp. 10</i>	Southern Mini Gecko	<i>Woodworthia "Southern Mini"</i>
Chevron Skink	<i>Oligosoma homalonotum</i>	Chevron Skink	<i>Oligosoma homalonotum</i>
Diving Skink	<i>Oligosoma suteri</i>	Egg-laying Skink	<i>Oligosoma suteri</i>
Littoral Skink	<i>Oligosoma acrinasum</i>	Fiordland Skink	<i>Oligosoma acrinasum</i>
Sinbad Skink	<i>Oligosoma sp. 1</i>	Sinbad Skink	<i>Oligosoma pikitanga</i>
Barrier Skink	<i>Oligosoma sp. 2</i>	Barrier Skink	<i>Oligosoma judgei</i>
Grand Skink	<i>Oligosoma grande</i>	Grand Skink	<i>Oligosoma grande</i>
Scree Skink	<i>Oligosoma waimatense</i>	Scree Skink	<i>Oligosoma waimatense</i>
Otago Skink	<i>Oligosoma otagense</i>	Otago Skink	<i>Oligosoma otagense</i>
Green Skink	<i>Oligosoma chloronoton</i>	Green Skink	<i>Oligosoma chloronoton</i>
Lakes Skink	<i>Oligosoma sp. 3</i>	Oligosoma "West Otago"	<i>Oligosoma aff. chloronoton "West Otago"</i>
Mackenzie Skink	<i>Oligosoma sp. 4</i>	Spotted Skink "Mackenzie Basin"	<i>Oligosoma aff. lineoocellatum "Mackenzie Basin"</i>
Spotted Skink	<i>Oligosoma lineoocellatum</i>	Spotted Skink	<i>Oligosoma lineoocellatum</i>
Long-toed Skink	<i>Oligosoma longipes</i>	Long-toed Skink	<i>Oligosoma longipes</i>
Rangitata Skink	<i>Oligosoma sp. 5</i>	Rangitata Skink	<i>Oligosoma "Rangitata"</i>
McCann's Skink	<i>Oligosoma maccanni</i>	McCann's Skink	<i>Oligosoma maccanni</i>
Small-eared Skink	<i>Oligosoma stenotis</i>	Small-eared Skink	<i>Oligosoma stenotis</i>
Southern Skink	<i>Oligosoma notosaurus</i>	Southern Skink	<i>Oligosoma notosaurus</i>
Cryptic Skink	<i>Oligosoma inconspicuum</i>	Cryptic Skink	<i>Oligosoma inconspicuum</i>
Te Kakahu Skink	<i>Oligosoma sp. 6</i>	Te Kakahu Skink	<i>Oligosoma tekakahu</i>
Big Bay Skink	<i>Oligosoma sp. 7</i>	Big Bay Skink	<i>Oligosoma "Big Bay"</i>
Mahogany Skink	<i>Oligosoma sp. 8</i>	Big Bay Skink	<i>Oligosoma "Big Bay"</i>
Common Skink	<i>Oligosoma polychroma</i>	Common Skink	<i>Oligosoma polychroma</i>





PO Box 37263
Stokes Valley

Telephone: (04) 934 0559
Fax: (04) 934 0557
Mobile: (027) 222 2100
Email: info@kiwiherbs.com
Website: www.kiwiherbs.com

Common name	Scientific name	Common name	Scientific name
Cobble Skink	<i>Oligosoma sp. 9</i>	Speckled Skink	<i>Oligosoma infrapunctatum</i>
Speckled Skink	<i>Oligosoma infrapunctatum</i>	Speckled Skink	<i>Oligosoma infrapunctatum</i>
Crenulate Skink	<i>Oligosoma sp. 10</i>	Speckled Skink	<i>Oligosoma infrapunctatum</i>
Paparoa Skink	<i>Oligosoma sp. 11</i>	Speckled Skink	<i>Oligosoma infrapunctatum</i>
Chesterfield Skink	<i>Oligosoma sp. 12</i>	Speckled Skink	<i>Oligosoma infrapunctatum</i>
Taumaka Skink	<i>Oligosoma taumakae</i>	Open Bay Islands Skink	<i>Oligosoma taumakae</i>
Falla's Skink	<i>Oligosoma fallai</i>	Three Kings Skink	<i>Oligosoma fallai</i>
Chathams Skink	<i>Oligosoma nigriplantare</i>	Chatham Islands Skink	<i>Oligosoma nigriplantare</i>
Shore Skink	<i>Oligosoma smithii</i>	Shore Skink	<i>Oligosoma smithii</i>
Tatahi Skink	<i>Oligosoma sp. 13</i>	Shore Skink	<i>Oligosoma smithii</i>
Small-scaled Skink	<i>Oligosoma microlepis</i>	Small-scaled Skink	<i>Oligosoma microlepis</i>
Striped Skink	<i>Oligosoma striatum</i>	Striped Skink	<i>Oligosoma striatum</i>
Moko Skink	<i>Oligosoma moco</i>	Moko Skink	<i>Oligosoma moco</i>
Whirinaki Skink	<i>Oligosoma sp. 14</i>	Whirinaki Skink	<i>Oligosoma "Whirinaki"</i>
Brown Skink	<i>Oligosoma zelandicum</i>	Brown Skink	<i>Oligosoma zelandicum</i>
Copper Skink	<i>Cyclodina aenea</i>	Copper Skink	<i>Oligosoma aeneum</i>
Slight Skink	<i>Cyclodina sp. 1</i>	Slight Skink	<i>Oligosoma levidensum</i>
Hardy's Skink	<i>Cyclodina sp. 2</i>	Hardy's Skink	<i>Oligosoma hardyi</i>
Aorangi Skink	<i>Cyclodina sp. 3</i>	Ornate Skink	<i>Oligosoma ornatum</i>
Ornate Skink	<i>Cyclodina ornata</i>	Ornate Skink	<i>Oligosoma ornatum</i>
Manawha Skink	<i>Cyclodina sp. 4</i>	Ornate Skink	<i>Oligosoma ornatum</i>
Whitaker's Skink	<i>Cyclodina whitakeri</i>	Whitaker's Skink	<i>Oligosoma whitakeri</i>
Marbled Skink	<i>Cyclodina pachysomaticum</i>	Marbled Skink	<i>Oligosoma oliveri</i>
Mokohinau Skink	<i>Cyclodina sp. 5</i>	Towns' Skink	<i>Oligosoma townsi</i>
Oliver's Skink	<i>Cyclodina oliveri</i>	Marbled Skink	<i>Oligosoma oliveri</i>





PO Box 37263
Stokes Valley

Telephone: (04) 934 0559
Fax: (04) 934 0557
Mobile: (027) 222 2100
Email: info@kiwiherbs.com
Website: www.kiwiherbs.com

Common name	Scientific name	Common name	Scientific name
Robust Skink	<i>Cyclodina alani</i>	Robust Skink	<i>Oligosoma alani</i>
McGregor's Skink	<i>Cyclodina macgregori</i>	McGregor's Skink	<i>Oligosoma macgregori</i>
Rainbow Skink	<i>Lampropholis delicata</i>	Rainbow Skink	<i>Lampropholis delicata</i>

Frogs

New Zealand is home to six species of frogs; three are exotic being introduced from Australia.

Adventive - Litoria:

Aurea - *Litoria aurea*, Golden Bell Frog



Ewingii - *Litoria ewingii*

These frogs are small, 36mm SV, pale brown with darker brown stripes and blotches that run both dorsally and laterally.

Raniformis - *Litoria raniformis*

Southern Bell Frog The Southern Bell Frog is slightly larger than *Litoria aurea* and displays irregular copper and green markings and the skin is dorsally "bumpy".

Endemic - Leiopelma:

Leiopelma archeyi

This is the smallest of the native frogs and is found at two sites in the North Island in damp misty sub-alpine scrub. The hind feet have very little webbing.





PO Box 37263
Stokes Valley

Telephone: (04) 934 0559
Fax: (04) 934 0557
Mobile: (027) 222 2100
Email: info@kiwiherbs.com
Website: www.kiwiherbs.com

hamiltoni

hochstetteri

Fossils show that this frog was found over most of the North Island however it is now found near creeks in damp forests in a few Northern areas and on some off shore islands.

pakeka

Maud Island Frog. Relatively large, up to 37mm long, brown.

Tuatara

Tuatara are the sole surviving representatives of the order *Sphenodontidae*. Despite a close resemblance, tuatara are not lizards. Informally known as "living fossils", they have remained essentially unchanged for 150 million years.

